

硬质合金工程刀具

Carbide cutting tools for civil construction 桩机工程刀具/盾构刀具/矿山刀具/其他硬质合金工程刀具

QINGDAO KAMOF ELECTRIC CO., LTD









Product Catalog

盾构系列产品Shield Cutter

焊接刀具 Welding Type 03 滚刀 Roller Bit 05

套管系列产品 Casing Bits

套管刀具 Casing Bit 09 内壁刀 Inner Blade 12 刀座 Casing Bit Holder 15

旋挖系列产品Earth Auger Bits

焊接式 Welding Type 19 装卸式 Detachable type 21 刀座 Holder 23

TRD 系列产品 TRD Bit

刀头 TRD Bit 27 刀排 Chain Cutter 27



高压旋喷硬质合金喷嘴

High Pressure Spin Spray Carbide Nozzle
M/R/N/L/Special Type 29

截齿系列产品 Mining Bit

截齿 Mining Conical Drilling Bits 31

其他产品 Others

双轮铣刀 Trench Cutter Teeth 33 斗齿 Bucket Teeth 破碎刃 Crusher Blade

Shield tunnel boring machine, is a kind of special large construction machinery used for tunnel boring. It is widely used in underground passages, railroads, highways, municipalities, hydropower, and other tunneling projects. Shield cutter is a key supporting tool for shield machine tunneling, and its quality requirements are very high.

The shield cutters provided by our company are characterized by high strength, long service life, easy replacement, and convenient maintenance.

maintenance. We provide professional production services for many partners.

盾構系列

Shield Cutter





焊接刀具 Welding Type

- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- Sheild cutters
- Welding type
- Products accept customization







Products are suitable for all kinds of shield machinery, can be customized according to the user. 产品适用于各种盾构机械,可根据用户要求定制。





滚刀 Roller Bits

- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- Sheild cutters
- Roller bits
- Products accept customization



本产品采用高硬度合金材料精制,适用于各种盾构机械,可接受用户各种规格定制。







套管機系列

Casing Bits

全回转套管机刀具

Casing Bits

- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- Casing teeth
- Type 40
- Products accept customization

刃型 Handed	型号 Cat No.	尺寸(mm) 长(L)×宽(W)×高(H)	适用刀座 Holder	形状 Outline Shape
	CB-40IRS-40H	120×43×80	0,,	
	CB-40IRN-40H	118×43×80		
	CB-40IRU-40H	120×43×80		
	CB-40ILS-40H	120×43×80	CBH-40-M16	
	CB-40ILU-40H	120×43×80	TC/IX	•
	CB-40IRS-ST-40H	120×43×80		
	CB-40IRU-ST-40H	120×43×80		

QINGDAO KAMOF ELECTRIC CO., LTD www.kcutters.com

- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- Casing teeth
- Type 50
- Products accept customization

刃型 Handed	型号 Cat No.	尺寸(mm) 长(L)×宽(W)×高(H)	适用刀座 Holder	形状 Outline Shape
	CB-50IRS-AG-40H	120×50×80	CBH-40-M16	
	CB-50IRU-AG-40H	120×50×80	3511 40 WITE	•
-	CB-50IRS-50H	120×53×80		
	CB-50IRU-50H	120×53×80	CBH-50-M16	•
	CB-50IRN-50H	118×53×80	COX	
· T	CB-55IRS-AG-45H	120×55×80	CBH-45-M16	
1	CB-55IRU-AG-45H	120×55×80	ODIT HOTOTO	•

全回转套管机刀具

Casing Bits 特殊型 special type

刃型 Handed	型号 Cat No. 尺寸 (mm)	长 (L)× 宽 (W)× 高 (H)	适用刀座 Holder	形状 Outline Shape
	CB-26IRS-05-26H	85×26×60	CBH-26-M16	
Q.	CB-26IRU-05-26H	85×26×60	.00	•
	CB-35IN-26H	90×35×60		
	MB-40IRS-S	120×40×80		
	MB-40IRU-S	120×40×80	CBH-40-M16	
	MB-40IRN-S	118×40×80	X	
	MB-40GS-AG	120×50×76	W.	
	MB-40GU-AG	120×50×76		
	MB-40GN-AG	118×43×76		

全回转套管机内壁焊接刀

Inner Bits

- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- Casing teeth
- Inner bits
- Products accept customization

刃型 Handed	型号 Cat No.	尺寸 (mm) 长 (L)× 宽 (W)× 高 (H)	形状 Out	line Shape
	IB-30IN-W	142×30×60		
	IB-40IN-W	150×40×70		
	IB-50IN-W	160×50×80		
	IB-40IRS	150×40×60		
Sold Sold	IB-40IRU	150×40×60		
	IB-40IRN	150×40×60		
	IB-50IRS	160×50×70		
-	IB-50IRU	160×50×70		

全回转套管机内壁焊接刀

Inner Bits

- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- Casing teeth
- Inner bits
- Products accept customization

刃型 Handed	型号 Cat No.	尺寸 (mm) 长 (L) × 宽 (W) × 高 (H)	形状 Outlin	ne Shape
	IB-50IRN	160×50×70		
	IB-60IRS	170×60×80		
5	IB-60IRU	170×60×80		
	IB-60IRN	170×60×80		
	IB-40IRS-特	150×40×60		
	IB-60IRS-特	170×60×80		
	IB-80IRS-特	190×80×60		

QINGDAO KAMOF ELECTRIC CO., LTD www.kcutters.com

- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- Casing teeth
- Inner bits
- Products accept customization

刃型 Handed	型号 Cat No.	尺寸 (mm) 长 (L)× 宽 (W)× 高 (H)	形状 Outlin	ne Shape
	IB-80IRS	190×80×100		
	IB-80IRU	190×80×100		
	IB-80IRN	190×80×100		
	IB-100IRS	200×100×100		
	IB-100IRU	200×100×100		
	IB-100IRN	200×100×100		
	IB-120IRS	220×120×140		
	IB-120IRU	220×120×140		
	IB-120IRN	220×120×140		

全回转套管机刀座

Holder

- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- Casing teeth
- Holder
- Products accept customization

刀座 Handed	型号 Cat No.	尺寸 (mm) 长 (L)× 宽 (W)× 高 (H)	形状 Outline Shape
	CBH-26-M16	70×26×65	
	CBH-40-M16	110×40×95	
	CBH-45-M16	110×45×95	
S	CBH-50-M16	110×50×95	


Cutter selection and assembly

			Cemented Carbide	Material Table			
Projects	ects Kamof Hardness		Flexural strength	Abrasion resistance	Impact resist	ance	Color
	Material	HRA	Gpa		Alloy chipping resistance		
For hard rock	ME 3	89	3.0 or above	_			Black
3. S. VI. 1981 S. L. V. 1881	ME 4	88	2.9 or above				Blue
For reinforced concrete	ME 5	87	2.7 or above		•		Yellow
For rolling stone	ME 6	86	2.7 or above				Green
Tool fixation	direct	ion	Fixed on the outside		Fixed on the inside		side
Casing rotation direction		ction	Turn right	Turn left	Turn right	Turi	n left
Outer blade			CB-IRS	CB-ILS	CB-IRS	СВ	-ILU
Middle blade			CB-IRN	CB-ILN	CB-IRN	СВ	-ILN
Inner blade			CB-IRU	CB-ILU	CB-IRU	СВ	-ILS
Assembly diagram							

Scope of application

The full rotary drilling rig is not only used for pile foundation construction in various complex strata such as quicksand, karst terrain and super high backfill. It can also be used for the construction of bored secant piles, subway steel columns and pile extraction.







旋挖钻机焊接型刀具

Earth Auger Bits

- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- Earth auger bits
- Welding type
- Products accept customization

刃型 Handed	型号 Cat No.	尺寸 (mm) 长 (L)× 宽 (W)× 高 (H)	形状 Out	line Shape
	AW-20K	215×20×70		
	AW-25K	215×25×70		
	AW-40K	200×40×70		
AT THE	AW-50K	215×50×70		
	AW-60K	220×60×80		
	AW-70K	230×70×100		
	AW-80K	250×80×110		

QINGDAO KAMOF ELECTRIC CO., LTD www.kcutters.com

- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- Earth auger bits
- Welding type
- Flat type
- Products accept customization

刃型 Handed	型号 Cat No.	尺寸(mm) 长(L)×宽(W)×高(H)	形状 Outline Shape
	AW-25F	215×20×70	
	AW-40F	215×25×70	
	AW-50F	200×40×70	
	AW-60F	215×50×70	



旋挖钻机装卸型刀具

Earth Auger Bits

- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- Earth auger bits
- Detachable type
- Pointed type
- Products accept customization

刃型 Handed	型号 Cat No.	尺寸 (mm) 长 (L)× 宽 (W)× 高 (H)	形状 Outline	Shape	
	AH-40K-S	150×40×90			
TE.	AH-50K-S	180×50×90		000	
	AH-60K-S	185×60×100			
	AH-80K-S	215×80×120			
	AH-60K-TS	180×60×100		(a)	
-	AH-80K-TS	210×80×120			

QINGDAO KAMOF ELECTRIC CO., LTD www.kcutters.com

- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- Earth auger bits
- Detachable type
- Flat Type
- Products accept customization

刃型 Handed	型号 Cat No.	尺寸 (mm) 长 (L) × 宽 (W) × 高 (H)	形状 Outline Shape
	AH-60F-TS	190×60×100	
	AH-80F-TS	215×80×120	66 60

- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- Earth auger bits
- Detachable type
- W Type
- Products accept customization

刃型 Handed	型号 Cat No.	尺寸 (mm) 长 (L)× 宽 (W)× 高 (H)	形状 Outline Shape		
	AH-60W-TS	190×60×100			
	AH-80W-TS	215×80×120	66		

旋挖钻机刀座

Earth Auger Holder

刃型 Handed	型号 Cat No.	尺寸 (mm) 长 (L) × 宽 (W) × 高 (H)	形状 Outlin	ne Shape
	ABH-40-TS	95×90×60		(H)
	ABH-50-TS	130×90×60		
	ABH-60-TS	125×100×80		(h)
	ABH-80-TS	140×120×105		0 0
	ABH-60-S	140×100×80		
	ABH-80-S	180×120×105		0 0







TRD

Standard

U type





- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- TRD cutters

















High-pressure spin spray carbide nozzle

- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- High-pressure spin spray carbide nozzle
- M-type nozzle




M·Special type




QINGDAO KAMOF ELECTRIC CO., LTD www.kcutters.com

- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- High-pressure spin spray carbide nozzle
- R-type nozzle









Diam	NO.	1	2	3	4	5	6	7	8	9	10
	Diameter	1.8	2.0	2.2	2.3	2.4	2.6	2.8	3.0	3.1	3.2
R-type	NO.	11	12	13	14	15	16	17			
	Diameter	3.5	3.8	4.0	4.2	4.5	4.8	5.0			

- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- High-pressure spin spray carbide nozzle
- L-type nozzle







L-type	NO.	1	2	3	4	5	6	7
	Diameter	3.0	3.3	3.8	4.1	5.0	6.0	7.0

Mining Conical Drilling Bits































How to choose cutting pick

Cutting pick is mainly used in coal mining machines, tunneling machines, and some excavators and milling machines may also use cutting pick. However, different machine models and different construction environments require different cutting pick models. So, what are the commonly used cutting pick models? And what kind of working conditions and machines are they suitable for?

There are two types of commonly used cutting picks, S-type and U-type.

S-type cutting picks are mostly used in tunneling machines, and the sub types include S100, S135, S120, etc. These cutting picks are suitable for construction environments such as coal rock tunnels, soft rock tunnels, highway tunnels, railway tunnels, etc. It is worth mentioning that the shape of the cutting pick used in tunneling machines is pick-shaped, mostly made of high-hardness alloy steel, and the service life of this type of cutting pick depends on the material of the alloy head, welding quality, working conditions, etc.


U-type cutting picks are used on coal mining machines, and there are more than ten specific types, such as U84, U170, U95, etc. Moreover, according to different working conditions, cutting picks for coal mining machines are also divided into ordinary type, hard rock type, sandstone type, etc. These cutting picks have undergone special processing in the production process, such as adding alloy bars to sandstone-type cutting picks, adding wear-resistant layers to wear-resistant cutting picks, and using plasma technology to add wear-resistant alloy materials to spark-free cutting picks.

Therefore, when selecting cutting picks, construction personnel must first understand their construction environment and machine models, and then match them with appropriate cutting picks.



More Products

- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- Double Wall Trench Cutter Teeth For Wheel Trencher




- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- Bucket teeth




- Manufactured by QINGDAO KAMOF ELECTRIC CO., LTD
- Crusher blade




Shredder blade



• Single shaft shredder bottom knife blade



Our company can customize various specifications of carbide engineering tools according to customers' drawings.



Why work with Kamof

● 理念 idea

Kamof adheres to the company's development purpose of honesty, treats people with sincerity, casts the industry with sincerity, and makes every product with sincerity. We are committed to the concept of technology first and quality first, and we are deeply engaged in the manufacturing technology of cemented carbide engineering tools, and we provide high-quality products with our craftsmen's feelings.

● 设计 design

Excellence comes from professional design. We know that the quality of our products and the efficacy of the real-world applications are the key to providing the best design solutions. Therefore, we set up a first-class design team, in reference to the international advanced design, while trying to innovate, and strive to provide the best design solutions to create a better product.

● 制造 Manufacturing

Our company trains young and excellent employees as the core of production, constantly improving production skills and manufacturing high-quality products. We encourage and support them to be innovative, and give them great rewards to make them more responsible and enterprising Thus, we can guarantee the quality of our products. We have several quality inspection procedures for every product we manufacture. to ensure the quality of our products. Before shipment, the production manager is responsible for re-inspection to ensure that the products are delivered to customers The quality of our products is qualified and all of them are excellent.



● 高效率 High Efficiency

A full set of high-end imported production equipment to form an automated production, to ensure the quality of the premise, and greatly shorten the production cycle to meet the customer's requirements on time. The company is located in the new development area, with a convenient geographical transportation environment, air, rail, highway, shipping multiple transportation methods can be convenient and rapid delivery of products in the shortest time to your hands.

技术支持 Technical Support

We not only provide you with high-quality products but also with the best solutions.

In order to solve the difficulties of customers in the actual application, we are ready to provide you with the best solutions to solve your problems. We help customers to solve the problems and difficulties encountered in the actual application, so as to maximize the value of our products. We can develop well only when our customers develop well. Only in this way will we have lasting cooperation and development.

Email:kcutters@kcutters.com willyc9491@gmail.com

Whatsapp: +8615098595370